

Sample Received: **July 9, 2026**

COA Issued: **July 19, 2026**

## PRODUCT INFORMATION

Vendor: **Revitacore** Sample Name: **N-Acetyl Selank 30mg** Sample Type: **White lyophilized powder** Lot Number: **SLA302606N** MW (g/mol): **793.9**

## ANALYTICAL METHODS

**Identity:** Confirmed via LC-MS



**Purity:** RP-HPLC (214 nm)

**Content:** HPLC quantitation

## TEST RESULTS

| Specification                      | Result                   | Method            | Status     |
|------------------------------------|--------------------------|-------------------|------------|
| Identity: N-Acetyl Selank Amideate | N-Acetyl Selank Amideate | LC-MS/MS          | ✓ Conforms |
| Content                            | 31.20 mg                 | HPLC Quantitation | ✓ Conforms |
| Overall Purity                     | 99.8%                    | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin                          | <0.05 EU/mL              | <USP85>           | ✓ Conforms |

## HPLC Chromatogram (Retention Time: 2.332 min)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.